

Blinds with people in mind

BANLIGHT DUO FR

Vertical And Roller Blind Fabric Specification



BANLIGHT DUO FR

Vertical And Roller Blind Fabric Specification

KEY FEATURES:

Fabric composition:	100% Polyester
Fire retardancy:	EN 13773 : 2003 Class 1; BS5867 - 2, Type B in accordance with BS5438 : 1989
Shading:	Block-out - Recommended for computer enviro
Moisture Resistance:	Acticide coated - suitable for moist conditions

STANDARD SPECIFICATIONS:

Colour range:	26
Louvre widths available:	89mm (31/2"); 127mm (5")
Roller fabric width:	200cm (78.5") nominal
Typical fabric weight:	330gsm (+/- 10)
Fabric thickness:	0.45mm - nominal
Colourfast:	Conforms to BS5867 - 1 : 2004 for light fas tested in accordance with ISO 105 - B02 :
O	Wine with demonstrate Demotore by De

Care instructions:

COLOUR	HEAT		LIGHT	
	т	R	т	R
Beige	0	62	0	61
Black	0	4	0	4
Blue	0	16	0	13
Cerise	0	13	0	30
Daffodil	0	56	0	61
Fuschia	0	19	0	38
Grape	0	18	0	32
Grey	0	40	0	41
Harvest	0	42	0	43
Hot Pink	0	26	0	32
Lt Blue	0	48	0	47
Lilac	0	63	0	62
Lime	0	58	0	56
Mint Green	0	40	0	42
Mulberry	0	32	0	11
Navy	0	9	0	6
Optic White	0	69	0	82
Pink	0	57	0	58
Pistachio	0	34	0	30
Silver	0	51	0	53
Sky Blue	0	36	0	38
Taupe	0	37	0	34
Turquoise	0	28	0	26
Tuscan Orange	0	33	0	36
Vanilla	0	61	0	72
Willow	0	69	0	83

T = % Transmitted : R = % Reflected : S-C = Shading Co -efficient. Shading Co-efficients are expressed as a decimal between 0 and 1. The lower the figure, the higher the shading efficiency of the blind.



B: 2008 for fire retardancy when tested

/ironments

stness to Grade 6 minimum when 1999

Wipe with damp sponge; Do not wash; Do not tumble dry; Do not dry clean; Do not iron.

	S-C
ļ	0.33
	0.83
	0.73
	0.77
	0.38
1	0.70
ļ	0.71
ļ	0.52
	0.50
ļ	0.64
1	0.45
	0.32
	0.36
1	0.52
ļ	0.59
ļ	0.79
ļ	0.27
	0.37
ļ	0.57
	0.42
ļ	0.56
ļ	0.55
ļ	0.62
ļ	0.58
ļ	0.34
	0.27

This data is based on: Tests conducted using double glazed 6mm float glass with 12mm air space. Blinds are fully closed.

Shading Co-efficients are calculated for radiation at normal incidence. Standard U value is 2.75 W/M 2k = 0.49Btu/ft2hxF.

Important: Performance data has been compiled with great care using the latest techniques. However, it is advisable to check actual suitability of fabrics for a particular application before use

In line with our commitment to product development, specifications may be subject to change without notice.

BANLIGHT DUO FR

Vertical And Roller Blind Fabric Specification













Sky Blue



Tuscan Orange